



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/524,094

02/09/2005

Boris P. Kovatchev

3057.128.US

4378

26474 7590 09/20/2010  
NOVAK DRUCE DELUCA + QUIGG LLP  
300 NEW JERSEY AVENUE NW  
FIFTH FLOOR  
WASHINGTON, DC 20001

EXAMINER

CLOW, LORI A

ART UNIT

PAPER NUMBER

1631

MAIL DATE

DELIVERY MODE

09/20/2010

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10524094	2/9/05	KOVATCHEV ET AL.	3057.128.US

NOVAK DRUCE DELUCA + QUIGG LLP  
300 NEW JERSEY AVENUE NW  
FIFTH FLOOR  
WASHINGTON, DC 20001

**EXAMINER**

LORI A.. CLOW

**ART UNIT****PAPER**

1631

201009162

DATE MAILED:

**Please find below and/or attached an Office communication concerning this application or proceeding.**

**Commissioner for Patents**

This letter is in response to the Information Disclosure Statement filed after the Non-Final rejection of 6 April 2010 and subsequently with the Appeal Brief of 6 July 2010. The Information Disclosure Statement has been considered and a signed copy of PTO Form 1449 is attached hereto. It is noted that the prior art cited is not material to patentability, as WO 01/72208 does not teach or fairly suggest the estimating on glycosylated blood glucose levels using a predetermined formula from derived blood glucose data that has been pre-processed.

**Inquiries**

Papers related to this application may be submitted to Technical Center 1600 by facsimile transmission. Papers should be faxed to Technical Center 1600 via the PTO Fax Center. The faxing of such papers must conform with the notices published in the Official Gazette, 1096 OG 30 (November 15, 1988), 1156 OG 61 (November 16, 1993), and 1157 OG 94 (December 28, 1993) (See 37 CFR § 1.6(d)). The Central Fax Center Number is (571) 273-8300.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lori A. Clow, Ph.D., whose telephone number is (571) 272-0715. The examiner can normally be reached on Monday-Friday from 10 am to 6:30 pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marjorie Moran can be reached on (571) 272-0720.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547. Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

/Lori A. Clow, PhD/

Primary Examiner

Art Unit: 1631

